# Dipyrromethane-Based PGeP Pincer Germyl Rhodium Complexes

Javier A. Cabeza,<sup>\*[a]</sup> José M. Fernández-Colinas,<sup>[a]</sup> Joaquín García-Álvarez,<sup>[a]</sup> Pablo García-Álvarez,<sup>[a]</sup> Carlos J. Laglera-Gándara,<sup>[a]</sup> and Marina Ramos-Martín<sup>[a]</sup>

Abstract: A family of germyl rhodium complexes derived from the PGeP germylene 2,2'-bis(diisopropylphosphanylmethyl)-5,5'-dimethyldipyrromethane-1,1'-diylgermanium(II), Ge(pyrmP<sup>i</sup>Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub> (1), has been prepared. Germylene 1 reacted readily with [RhCl(PPh<sub>3</sub>)<sub>3</sub>] and  $[RhCl(cod)(PPh_3)]$  (cod = 1,5-cyclooctadiene) to give, in both cases, the PGeP-pincer chloridogermyl rhodium(I) derivative  $[Rh{\kappa^{3}P,Ge,P-GeCl(pyrmP'Pr_{2})_{2}CMe_{2}}(PPh_{3})]$  (2). Similarly, the reaction of **1** with [RhCl(cod)(MeCN)] afforded [Rh{ $\kappa^{3}P$ ,Ge,P-GeCl(pyrmP<sup>i</sup>Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}(MeCN)] (3). The methoxidogermyl and methylgermyl rhodium(I) complexes  $[Rh{\kappa^{3}P,Ge,P GeR(pyrmP'Pr_2)_2CMe_2$ {(PPh\_3)] (R=OMe, 4; Me, 5) were pre-

## Introduction

Pincer complexes containing heavier tetrylenes (silylenes, germylenes, stannylenes; HTs) as ligands combine two features that have important implications in the catalytic activity of these complexes. On one hand, the tridentate coordination of pincer ligands enhances the stability of the complexes and their ease steric and electronic tunability help establish the tricky balance between reactivity and stability often required by catalytically efficient metal complexes.<sup>[1,2]</sup> On the other hand, many HTs have shown a very strong electron-donating character, with a basicity often greater than that of Nheterocyclic carbenes,<sup>[3]</sup> and strong electron-donating ligands are frequently required by catalytically active complexes to promote oxidative addition processes.<sup>[4]</sup> Consequently, many transition metal (TM) complexes containing HT ligands have already been identified as active homogeneous catalysts.[3c,5-8] It is noteworthy that cooperativity between the tetrel atom and the TM (both participate in catalytic steps) has been observed

 [a] Prof. J. A. Cabeza, Dr. J. M. Fernández-Colinas, Dr. J. García-Álvarez, Dr. P. García-Álvarez, Dr. C. J. Laglera-Gándara, M. Ramos-Martín Centro de Innovación en Química Avanzada (ORFEO-CINQA) Departamento de Química Orgánica e Inorgánica Universidad de Oviedo, 33071 Oviedo (Spain) E-mail: jac@uniovi.es

- Supporting information for this article is available on the WWW under https://doi.org/10.1002/chem.202200847
- © 2022 The Authors. Chemistry A European Journal published by Wiley-VCH GmbH. This is an open access article under the terms of the Creative Commons Attribution Non-Commercial NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

pared by treating complex **2** with LiOMe and LiMe, respectively. Complex **5** readily reacted with CO to give the carbonyl rhodium(l) derivative  $[Rh{\kappa^3}P,Ge,P-GeR(pyrmP'Pr_2)_2CMe_2](CO)]$  (**6**), with HCl, HSnPh<sub>3</sub> and Ph<sub>2</sub>S<sub>2</sub> rendering the pentacoordinate methylgermyl rhodium(III) complexes  $[RhHX{\kappa^3}P,Ge,P-GeMe(pyrmP'Pr_2)_2CMe_2]$  (X = CI, 7; SnPh<sub>3</sub>, **8**) and  $[Rh(SPh)_2{\kappa^3}P,Ge,P-GeMe(pyrmP'Pr_2)_2CMe_2]$  (**9**), respectively, and with H<sub>2</sub> to give the hexacoordinate derivative  $[RhH_2{\kappa^3}P,Ge,P-GeMe(pyrmP'Pr_2)_2CMe_2]$  (**10**). Complexes **3** and **5** are catalyst precursors for the hydroboration of styrene, 4-vinyltoluene and 4-vinylfluorobenzene with catecholborane under mild conditions.

in some occasions.<sup>[6a,8]</sup> However, metal complexes comprising an HT as part of a pincer ligand are still limited to ECE,<sup>[6]</sup> ENE,<sup>[7]</sup> PEP<sup>[9,10a,b,11-16]</sup> and SES<sup>[10c,d]</sup> pincer platforms (E=Si, Ge or Sn).

Regarding metal-free PGeP pincer-type germylenes,<sup>[17]</sup> we reported the first one in 2017 (compound **A**, Figure 1)<sup>[11]</sup> and also the synthesis of some d<sup>8</sup> metal (Rh, Ir, Ni, Pd, Pt) derivatives,<sup>[18]</sup> but the small 5-membered Ge-containing ring and the short length of its  $CH_2P^tBu_2$  sidearms resulted in very distorted square geometries. Goicoechea's group reported the second PGeP germylene (compound **B**, Figure 1), but it did not behave as a pincer ligand because its small 5-membered  $GeN_2C_2$  ring forces a long separation between the P atoms, hampering their binding to the same metal atom.<sup>[12]</sup> A more flexible ligand framework was presented by germylene **C** (Figure 1), but the little steric protection of its Ge atom resulted




Figure 1. The currently known metal-free PGeP germylenes.

 $\ensuremath{\mathbb{C}}$  2022 The Authors. Chemistry - A European Journal published by Wiley-VCH GmbH

in low stability of its TM derivatives.<sup>[13]</sup> Aiming at obtaining more stable PGeP complexes, we have recently synthesized germylene **1** (Figure 1),<sup>[14]</sup> which is based on the dipyrromethane scaffold, and we have already demonstrated that it is well suited to form unstrained square planar (Fe<sup>II,19]</sup> Co<sup>II,[19]</sup> Ni<sup>II,[19,20]</sup> Pd<sup>II(20]</sup>), tetrahedral (Cu<sup>I,[14,19]</sup> Zn<sup>II(19]</sup>) and T-shaped tricoordinate (Pd<sup>0,[21]</sup> Ag<sup>I,[14]</sup> Au<sup>I(14]</sup>) complexes, most of them being chloridogermyl-metal derivatives. Although two additional metal-free PGeP germylenes have also been reported, **D** and **E** (Figure 1), the former has only been used to prepare nickel(0) complexes,<sup>[15]</sup> whereas no reaction of the latter with a TM complex has as yet been reported.<sup>[22]</sup>

We now report the first rhodium(I) and rhodium(III) complexes derived from germylene 1, including the first ones in which the metal is penta- and hexacoordinated. Additionally, this paper also describes the first catalytic study (olefin hydroboration) involving a transition metal derivative of germylene 1.

#### **Results and Discussion**

Germylene **1** reacted with [RhCl(PPh<sub>3</sub>)<sub>3</sub>], in toluene at room temperature, to give [Rh{ $\kappa^3 P$ ,Ge,P-GeCl(pyrmP'Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}(PPh<sub>3</sub>)] (**2**) as the only reaction product (Scheme 1). However, extensive washing with hexane was necessary to separate it from the released PPh<sub>3</sub>, lowering the yield of isolated product to 74%. Alternatively, complex **2** was also prepared in greater yield (95%) by treating germylene **1** with [RhCl(cod)(PPh<sub>3</sub>)] (cod = 1,5-cyclooctadiene) (Scheme 1). The presence of one PPh<sub>3</sub> ligand and the C<sub>5</sub> symmetry of the complex were confirmed by its NMR spectra. The <sup>31</sup>P{<sup>1</sup>H} NMR spectrum showed two signals, doublet of doublets and doublet of triplets, due to  $J_{P-Rh}$  and  $J_{P-P'}$ couplings, while the <sup>1</sup>H NMR spectrum showed diastereotopic protons for the CH<sub>2</sub> and P<sup>i</sup>Pr<sub>2</sub> groups, also indicating that the CMe<sub>2</sub> methyl groups are located in the symmetry plane.

Therefore, the syntheses of complex **2** implies the displacement of neutral ancillary ligands (PPh<sub>3</sub> or cod) and the insertion of the Ge atom of germylene **1** into the M–Cl bond of the corresponding starting chlorido metal complex. Although this type of reactivity has been previously observed for other PGeP germylenes in their reactions with metal complexes,<sup>[17,19]</sup> the maintenance of one PPh<sub>3</sub> ligand attached to the metal atom

Scheme 1. Syntheses of complexes 2 and 3.


Chem. Eur. J. 2022, 28, e202200847 (2 of 6)

was surprising because: a) the reactions of germylene **1** with [MCl(PPh<sub>3</sub>)] (M = Ag, Au) and [Pd(PPh<sub>3</sub>)<sub>4</sub>] lead to the coordinatively unsaturated T-shaped metal complexes [M{ $\kappa^3P$ ,Ge,P-GeCl(pyrmP'Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>]] (M = Ag, Au)<sup>[14]</sup> and [Pd{ $\kappa^3P$ ,Ge,P-Ge-(pyrmP'Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>]],<sup>[21]</sup> which do not contain PPh<sub>3</sub> and have the metal atom sterically protected by the P'Pr<sub>2</sub> groups, and b) all the currently known square planar complexes derived from germylene **1** have a small ligand (H, Cl or SPh) in the position occupied by the PPh<sub>3</sub> ligand in complex **2** (*trans* to the Ge atom).<sup>[19,21]</sup>


Our purpose to involve some rhodium derivatives of germylene **1** in catalytic reactions (see below) and the abovedescribed efficient preparation of **2** from [RhCl(cod)(PPh<sub>3</sub>)] led us to investigate the reaction of **1** with [RhCl(cod)(MeCN)], because acetonitrile frequently behaves as a labile ligand and this feature is often required by catalytically active complexes. The acetonitrile derivative [Rh{ $\kappa^3 P$ ,Ge,P-GeCl(pyrmP<sup>i</sup>Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}(MeCN)] (**3**) (Scheme 1) was satisfactorily prepared (83 % yield) using this synthetic method. The <sup>1</sup>H and <sup>13</sup>C{<sup>1</sup>H} NMR spectra of complex **3** confirmed the presence of acetonitrile in the complex and that the molecule also has C<sub>s</sub> symmetry.


Both complexes, **2** and **3**, proved to be very sensitive to moisture, leading to mixtures when exposed to wet solvents. Aiming at preparing complexes with lower tendency to undergo hydrolysis, we treated complex **2** with LiOMe and LiMe to replace the Cl atom of the GeCl fragment by OMe and Me groups, respectively. These reactions led to complexes [Rh { $\kappa^{3}P$ ,Ge,P-GeR(pyrmP<sup>i</sup>Pr\_{2})\_{2}CMe\_{2}}(PPh\_3)] (R=OMe, **4**; Me, **5**) (Scheme 2). Analogous reactions were attempted with complex **3** but they gave inseparable mixtures.<sup>[23]</sup>

The NMR spectra of **4** and **5** were comparable to those of complex **2**, but the <sup>1</sup>H and <sup>13</sup>C{<sup>1</sup>H} NMR spectra additionally showed the presence of the OMe or Me groups, as appropriate. The molecular structure of the methoxidogermyl complex **4** was determined by X-ray diffraction (XRD) (Figure 2). Interestingly, the Rh-PPh<sub>3</sub> distance, 2.3505(7) Å, is unusually long (for comparison, that of [RhCl(CO)(PPh<sub>3</sub>)<sub>2</sub>] is 2.322(1) Å<sup>[24]</sup>), being longer than the Rh-P<sup>i</sup>Pr<sub>2</sub> distances, 2.3352(7) and 2.3281(7) Å. Although the positions of the P<sup>i</sup>Pr<sub>2</sub> methyl groups minimize the steric repulsion between the PPh<sub>3</sub> phenyl and P<sup>i</sup>Pr<sub>2</sub> isopropyl groups in complex **4**, the steric hindrance between the PPh<sub>3</sub> phenyl and P<sup>i</sup>Pr<sub>2</sub> isopropyl Me<sub>2</sub>CH groups is claimed as responsible for the long Rh–P distances found for this complex (space-filling diagrams are shown in the Supporting Information, Figure S29).



 $\ensuremath{\mathbb C}$  2022 The Authors. Chemistry - A European Journal published by Wiley-VCH GmbH







Research Article doi.org/10.1002/chem.202200847





Figure 2. Thermal ellipsoid diagram of the XRD molecular structure of complex 4 (40% displacement ellipsoids, H atoms have been omitted for clarity). Selected bond lengths (Å) and angles (°): Rh1-P1 2.3352(7), Rh1-P2 2.3281(7), Rh1-P3 2.3505(7), Rh1-Ge1 2.3540(4), Ge1-O1 1.811(2), Ge1-N1 1.901(2), Ge1-N2 1.892(2); N1-Ge1-N2 92.6(1), N1-Ge1-Rh1 119.90(7), N2-Ge1-Rh1 119.83(7), N1-Ge1-O1 105.2(1), N2-Ge1-O1 104.5(1), O1-Ge1-Rh1 112.15(7), Ge1-Rh1-P1 84.78(2), P1-Rh1-P2 168.81(3), P1-Rh1-Ge1 84.78(2), P2-Rh1-Ge1 85.21(2), P1-Rh1-P3 94.76(3), P2-Pd1-P3 95.10(3).

The stability of the methylgermyl complex **5** toward hydrolysis led us to choose it for a reactivity study. The lability of its PPh<sub>3</sub> ligand was first evidenced by its reaction with carbon monoxide (gas bubbled in toluene at room temperature), which immediately gave the carbonyl derivative [Rh{ $\kappa^3P$ ,Ge,P-GeMe(pyrmP'Pr\_2)<sub>2</sub>CMe\_2}(CO)] (**6**; Scheme 3), characterized by a strong v<sub>co</sub> absorption at 1967 cm<sup>-1</sup> in its IR spectrum (toluene solution). The low frequency of this absorption is indicative of a high electron-richness of the metal center (strong  $\pi$ -backbonding to the CO ligand).

As the metal atom of the triphenylphosphane complex **5** should be even more electron-rich than that of the carbonyl derivative **6** (CO is more  $\pi$ -acceptor than PPh<sub>3</sub>) and given the proven lability of its PPh<sub>3</sub> ligand, we decided to use complex **5** to investigate oxidative addition reactions because not a single example of a rhodium(III) complex supported by a PGeP pincer ligand had previously been reported.

Complex **5** reacted readily with one equivalent of HCI (ethereal solution) and HSnPh<sub>3</sub> to give the rhodium(III) complexes [RhHX{ $\kappa^3P$ ,Ge,P-GeMe(pyrmP<sup>i</sup>Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}] (X = Cl, **7**; SnPh<sub>3</sub>, **8**) (Scheme 4). Both compounds showed a highly shielded hydride resonance in their <sup>1</sup>H NMR spectra (C<sub>6</sub>D<sub>6</sub>), at  $\delta$  –26.3 ppm (dt, J<sub>H-Rh</sub>=36.0 Hz, J<sub>H-P</sub>=13.5 Hz) for **7** and –28.4 ppm (br) for **8**, and just one signal (doublet, due to J <sup>31</sup>P-<sup>103</sup>Rh coupling) in their <sup>31</sup>P{<sup>1</sup>H} NMR spectra (tin satellites




Scheme 4. Synthesis of complexes 7 and 8.

were also showed in the spectrum of 8). A doublet of triplets  $(J_{\text{Sn-Rh}} = 336 \text{ Hz}, J_{\text{Sn-P}} = 180 \text{ Hz})$  was observed in the <sup>119</sup>Sn{<sup>1</sup>H} NMR spectrum (C<sub>6</sub>D<sub>6</sub>) of 8. Therefore, compounds 7 and 8 do not contain the PPh<sub>3</sub> ligand of their starting reagent (5) and are coordinatively unsaturated pentacoordinated rhodium(III) complexes, the first ones to contain a PGeP pincer ligand. The oxidative addition of HX molecules to rhodium(I) pincer complexes has been previously reported; however, the products are hexacoordinate species in most cases.<sup>[25]</sup>

We wanted to check whether two ligands different from (and larger than) hydride could be accommodated on the rhodium atom despite the great steric shielding exerted by the P'Pr<sub>2</sub> groups. With that purpose, we chose diphenyldisulfide because the oxidative addition of its S–S bond to low-valent metal complexes had been previously reported to proceed cleanly under mild conditions.<sup>[21]</sup> The reaction of complex **5** with diphenyldisulfide proceeded quickly in toluene at room temperature, to give the pentacoordinate rhodium(III) complex [Rh(SPh)<sub>2</sub>{ $\kappa^{3}P$ ,Ge,P-GeMe(pyrmP'Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}] (**9**) (Scheme 5). Again, the PPh<sub>3</sub> ligand of **5** was released during this reaction.

Complex **5** also reacted with hydrogen under mild conditions (gas bubbled,  $C_6D_6$  solution, room temperature, J. Young-stopped NMR tube) to give [RhH<sub>2</sub>{ $\kappa^3P$ ,Ge,P-GeMe(pyrmP<sup>i</sup>Pr<sub>2</sub>)<sub>2</sub>CMe<sub>2</sub>}(PPh<sub>3</sub>)] (**10**) (Scheme 5) in quantitative



 $Me \longrightarrow P'Pr_2 \longrightarrow P'Pr_$ 

Scheme 3. Synthesis of complex 6.

Chem. Eur. J. 2022, 28, e202200847 (3 of 6)

Scheme 5. Synthesis of complexes 9 and 10.

© 2022 The Authors. Chemistry - A European Journal published by Wiley-VCH GmbH

yield. Its NMR spectra confirmed the presence of two hydride ligands, observed as two broad resonances in the <sup>1</sup>H spectrum, one of them showing a strong coupling to a P atom ( $J_{H+P}$ = 140 Hz), indicating a *trans* hydride-P arrangement, and the maintenance of the PPh<sub>3</sub> ligand, observed as a doublet of triplets in the <sup>31</sup>P{<sup>1</sup>H} NMR spectrum (the latter also contained the doublet of doublets expected for the P<sup>i</sup>Pr<sub>2</sub> groups). Therefore, compound **10** is a hexacoordinate derivative, the first one ever reported for a PGeP pincer rhodium(III) complex. Unfortunately, probably due to the steric hindrance exerted by the P<sup>i</sup>Pr<sub>2</sub> groups, complex **10** could not be isolated as a pure solid because, in the absence of a dihydrogen atmosphere, it slowly released dihydrogen in solution at room temperature, reverting to complex **5**.

Complexes **5** and **3** were tested as catalyst precursors for the hydroboration of styrenes with catecholborane (Table 1).<sup>[26]</sup> The reactions were carried out in dry THF, under argon (glove box), using equimolar amounts of the borane and the corresponding styrene and a 1 mol% of rhodium complex. After 24 h at room temperature, the reaction mixtures were oxidatively hydrolyzed with hydrogen peroxide and NaOH to give mixtures of the corresponding branched (**F**) and terminal (**G**) alcohols that were analyzed by GC and NMR after a conventional workup.

Table 1 shows that the acetonitrile complex 3 is only a bit more active than the triphenylphosphane complex 5. However, while the activity and regioselectivity of 5 (entry 1) are similar to those found for other phosphane derivatives of rhodium, which preferentially afford the branched alcohol, [26,27] the selectivity of 3 was the opposite, preferentially giving the terminal alcohol (entry 2). Linear-selective hydroboration<sup>[28]</sup> is unusual for precious-metal catalysts. The catalytic activity of complex 3 decreased for ring-substituted styrenes, regardless of the electron-donating (entry 3) or -withdrawing (entry 4) character of the substituent, indicating that the kinetics of these reactions strongly depends on the volume of the substrate. Aiming at shedding some light on the mechanism of the hydroboration reaction, complex 3 was individually treated with styrene and catecholborane at room temperature, but styrene did not react and catecholborane led to a mixture that could not be separated and identified.

These catalytic results, although of moderate interest as far as activity and selectivity are concerned, are the first ones to be reported for a transition metal derivative of germylene **1**. Only a

Table 1. Catalytic hydroboration of styrenes promoted by complexes 5 and 3.				
$R \xrightarrow{OH} (F) \xrightarrow{OH} (G) \xrightarrow{OH} (G)$				
Entry	Complex	R	Conversion [%]	F/G ratio [%]
1	5	н	87	62/38
2	3	Н	94	24/76
3	3	Me	29	25/75
4	3	F	36	25/75

few metal complexes containing other PGeP germyl ligands have been previously involved in other catalytic reactions.<sup>[29]</sup>

### Conclusions

The reactions of germylene 1 with a series rhodium(I) chlorido complexes afforded in all cases reaction products (2, 3) that contain a PGeP pincer chloridogermyl ligand that arises from the insertion of the divalent Ge atom of germylene 1 into the Rh--Cl bond. The Cl atom of the chloridogermyl group of complex 2 has been replaced by OMe and Me groups (4, 5). The lability of the PPh<sub>3</sub> ligand of complex 5 has allowed a rich derivative chemistry that has afforded carbonyl rhodium(I) (6) and oxidative addition rhodium(III) reaction products (7-10), through processes that proceeded quickly with release of PPh<sub>3</sub>. While tri-<sup>[14,21]</sup> and tetra-coordinate<sup>[14,19-21]</sup> PGeP pincer germyl metal complexes derived from germylene 1 have been previously reported, the reactions described in this manuscript widen the scope of metal geometries that can be supported by ligands of this type, as they have afforded unprecedented penta- (7-9) and hexa-coordinate (10) metal complexes. We have also shown that complexes 3 and 5 promote the hydroboration of styrenes under mild conditions.

The results reported in this article demonstrate that the PGeP pincer germyl ligands derived from germylene 1 are very versatile, as they can stabilize a wide range of metal coordination types while they sterically protect the metal atom with the  $P'Pr_2$  groups. This work broadens two currently very active research areas within the fields of coordination and organometallic chemistries: pincer ligands<sup>[1,2,17]</sup> and heavier tetrel element-donor ligands.<sup>[30]</sup>

#### **Experimental Section**

Detailed synthetic procedures and analytical, spectroscopic and structural (XRD) data for compounds 1–10 are given in the Supporting Information. Deposition Number 2157524 (for  $4 \cdot C_7 H_{\rm e}$ ) contains the supplementary crystallographic data for this paper. These data are provided free of charge by the joint Cambridge Crystallographic Data Centre and Fachinformationszentrum Karlsruhe Access Structures service.

## Acknowledgements

This work has been supported by research grants obtained from Ministerio de Economía y Competitividad (RED2018-102387-T) and Agencia Estatal de Investigación (PID2019-104652GB-I00 and PID2020-113473GB-I00). M.R.M acknowledges a predoctoral award from "Programa Severo Ochoa para la formación en investigación y docencia del Principado de Asturias" (PA-21-PF-BP20-093). The authors also acknowledge the technical support provided by Servicios Científico-Técnicos de la Universidad de Oviedo.



5213765,

# **Conflict of Interest**

The authors declare no conflict of interest.

# **Data Availability Statement**

The data that support the findings of this study are available in the supplementary material of this article.

**Keywords:** germylenes · hydroboration · PGeP pincers · pincer complexes · rhodium

- For selected reviews on pincer complexes and their applications, see:

   a) E. Peris, R. H. Crabtree, *Chem. Soc. Rev.* 2018, *47*, 1959–1968;
   b) The Privileged Pincer-Metal Platform: Coordination Chemistry & Applications, ed. G. van Koten, R. A. Gossage, Springer, Cham, 2016;
   c) M. Asay, D. Morales-Morales, *Dalton Trans.* 2015, *44*, 17432–17447;
   d) C. Gunanathan, D. Milstein, *Chem. Rev.* 2014, *114*, 12024–12087;
   e) Orgaanometallic Pincer Chemistry, ed. G. van Koten, D. Milstein, Springer, Heidelberg, 2013;
   f) S. Schneider, J. Meiners, B. Askevold, *Eur. J. Inorg. Chem.* 2012, 2012, 412–429.
- [2] For selected reviews on pincer complexes in homogeneous catalysis, see: a) G. Bauer, X. Hu, *Inorg. Chem. Front.* **2016**, *3*, 741–765; b) H. A. Yonus, W. Su, N. Ahmad, S. Chen, F. Verpoort, *Adv. Synth. Catal.* **2015**, *357*, 283–330; c) Pincer and Pincer-Type Complexes: Applications in Organic Synthesis and Catalysis, ed. K. J. Szabó, O. F. Wendt, Wiley-VCH, Weinheim, **2014**; d) Q.-H. Dend, R. L. Melen, L. H. Gade, *Acc. Chem. Res.* **2014**, *47*, 3162–3173.
- [3] a) Z. Benedek, T. Szilvási, Organometallics 2017, 36, 1591–1600; b) A. Rosas-Sánchez, I. Alvarado-Beltrán, A. Baceiredo, N. Saffon-Merceron, S. Massou, V. Ranchadell, T. Kato, Angew. Chem. Int. Ed. 2017, 56, 10549-10554; Angew. Chem. 2017, 129, 16132-16136; c) Y.-P. Zhou, S. Raoufmoghaddam, T. Szilvási, M. Driess, Angew. Chem. Int. Ed. 2016, 55, 12868–12872; Angew. Chem. 2016, 128, 13060–13064; d) T. Troadec, A. Prades, R. Rodriguez, R. Mirgalet, A. Baceiredo, N. Saffon-Merceron, V. Branchadell, T. Kato, Inorg. Chem. 2016, 55, 8234-8240; e) J. A. Cabeza, P. García-Álvarez, R. Gobetto, L. González-Álvarez, C. Nervi, E. Pérez-Carreño, D. Polo, Organometallics 2016, 35, 1761-1770; f) Z. Benedek, T. Szilvási, RSC Adv. 2015, 5, 5077–5086; g) L. Álvarez-Rodríguez, J. A. Cabeza, P. García-Álvarez, D. Polo, Coord. Chem. Rev. 2015, 300, 1-28; h) G. Tan, S. Enthaler, S. Inoue, B. Blom, M. Driess, Angew. Chem. Int. Ed. 2015, 54, 2214-2218; i) L. Álvarez-Rodríguez, J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, D. Polo, Inorg. Chem. 2015, 54, 2983-2994; j) J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, D. Polo, Chem. Eur. J. 2014, 20, 8654-8663; k) M. Asay, C. Jones, M. Driess, Chem. Rev. 2011, 111, 354–396.
- [4] a) R. H. Crabtree, Chem. Rev. 2017, 117, 8481–8482; b) J. A. Labinger, Organometallics 2015, 34, 4784–4795.
- [5] For examples of non-pincer heavier tetrylene-metal complexes in catalysis, see: a) Y.-P. Zhou, M. Driess, Angew. Chem. Int. Ed. 2019, 58, 3715–3728; b) Y.-P. Zhou, Z. Mo, M.-P. Luecke, M. Driess, Chem. Eur. J. 2018, 24, 4780–4784; c) J. A. Cabeza, P. García-Álvarez, L. González-Álvarez, Chem. Commun. 2017, 53, 10275–10278; d) T. limura, N. Akasaka, T. Kosai, T. Iwamoto, Dalton Trans. 2017, 46, 8868–8874; e) T. limura, N. Akasaka, T. Kosai, T. Iwamoto, Organometallics 2016, 35, 4071–4076; f) L. Álvarez-Rodríguez, J. A. Cabeza, J. M. Fernández-Colinas, P. García-Álvarez, D. Polo, Organometallics 2016, 35, 2516–2523; g) N. Parvin, B. Mishra, M. Neralkar, J. Hossain, P. Parameswaran, S. Hotha, S. Khan, Chem. Commun. 2020, 56, 7625–7628.
- [6] a) D. Gallego, A. Brück, E. Irran, F. Meier, F. Kaupp, M. Driess, J. F. Hartwig, J. Am. Chem. Soc. 2013, 135, 15617–15626; b) A. Brück, D. Gallego, W. Wang, E. Irran, M. Driess, J. F. Hartwig, Angew. Chem. Int. Ed. 2012, 51, 11478–11482; Angew. Chem. 2012, 124, 11645–11646; c) S. Li, Y. Wang, W. Yang, K. Li, H. Sun, X. Li, O. Fuhr, D. Fenske, Organometallics 2020, 39, 757–766; d) W. Wang, S. Inoue, E. Irran, M. Driess, Angew. Chem. Int. Ed. 2012, 124, 3751–3754; Angew. Chem. 2012, 124, 11645–11646; e) W. Yang, Y. Dong, H. Sun, X. Li, Dalton Trans. 2021, 50, 6766–6772.

- [7] a) H. Ren, Y.-P. Zhou, Y. Bai, C. Cui, M. Driess, Chem. Eur. J. 2017, 23, 5663–5667; b) T. T. Metsänen, D. Gallego, T. Szilvási, M. Driess, M. Oestreich, Chem. Sci. 2015, 6, 7143–7149; c) D. Gallego, S. Inoue, B. Blom, M. Driess, Organometallics 2014, 33, 6885–6897; d) R. Arévalo, T. P. Pabst, P. J. Chirik, Organometallics 2020, 39, 2763–2773; e) X. Chen, H. Wang, S. Du, M. Driess, Z. Mo, Angew. Chem. Int. Ed. 2022, 61, e202114598; Angew. Chem. 2022, 134, e202114598.
- [8] a) M. L. Buil, J. A. Cabeza, M. A. Esteruelas, S. Izquierdo, C. J. Laglera-Gándara, A. I. Nicasio, E. Oñate, *Inorg. Chem.* 2021, *60*, 16860–16870;
  b) M.-P. Lücke, S. Yao, M. Driess, *Chem. Sci.* 2021, *12*, 2909–2915; c) B. Blom, S. Enthaler, S. Inoue, E. Irran, M. Driess, *J. Am. Chem. Soc.* 2013, *135*, 6703–6713; d) M. E. Fasulo, M. C. Lipke, T. D. Tilley, *Chem. Sci.* 2013, *4*, 3882–3887; e) P. B. Glaser, T. D. Tilley, *J. Am. Chem. Soc.* 2003, *125*, 13640–13641.
- [9] a) M. T. Whited, J. Zhang, S. Ma, B. D. Nguyen, D. E. Janzen, *Dalton Trans.* 2017, *46*, 14757–14761; b) J. C. DeMott, W. X. Gu, B. J. McCulloch, D. E. Herbert, M. D. Goshert, J. R. Walensky, J. Zhou, O. V. Ozerov, *Organometallics* 2015, *34*, 3930–3933; c) H. Handwerker, M. Paul, J. Blumel, C. Zybill, *Angew. Chem. Int. Ed.* 1993, *32*, 1313–1315; *Angew. Chem.* 1993, *115*, 1375–1377.
- [10] a) Y. Cabon, H. Kleijn, M. A. Siegler, A. L. Spek, R. J. M. Gebbink, B.-J. Deelman, *Dalton Trans.* 2010, *39*, 2423–2427; b) S. Warsink, E. J. Derrah, C. A. Boon, Y. Cabon, J. J. M. de Pater, M. Lutz, R. J. M. Gebbink, B.-J. Deelman, *Chem. Eur. J.* 2015, *21*, 1765–1779; c) E. Brendler, E. Wächtler, T. Heine, L. Zhechkov, T. Langer, R. Pöttgen, A. F. Hill, J. Wagler, *Angew. Chem. Int. Ed.* 2011, *50*, 4696–4700; *Angew. Chem.* 2011, *123*, 4793–4797; d) E. Wächtler, R. Gericke, E. Brendler, B. Gerke, T. Langer, R. Pöttgen, L. Zhechkov, T. Heined, J. Wagler, *Dalton Trans.* 2016, *45*, 14252.
- [11] L. Álvarez-Rodríguez, J. Brugos, J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, D. Polo, Chem. Commun. 2017, 53, 893–896.
- [12] S. Bestgen, N.H. Rees, J. M. Goicoechea, Organometallics 2018, 37, 4147–4155.
- [13] J. A. Cabeza, I. Fernández, J. M. Fernández-Colinas, P. García-Álvarez, C. J. Laglera-Gándara, Chem. Eur. J. 2019, 25, 12423–12430.
- [14] J. A. Cabeza, I. Fernández, P. García-Álvarez, C. J. Laglera-Gándara, Dalton Trans. 2019, 48, 13273–13280.
- [15] T. Watanabe, Y. Kasai, H. Tobita, *Chem. Eur. J.* 2019, *25*, 13491–13495.
   [16] J. A. Cabeza, I. Fernández, P. García-Álvarez, R. García-Soriano, C. J.
- Laglera-Gándara, Dalton Trans. 2021, 50, 16122–16132.
- [17] J. A. Cabeza, P. García-Álvarez, C. J. Laglera-Gándara, Eur. J. Inorg. Chem. 2020, 784–795.
- [18] a) J. Brugos, J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, D. Polo, Dalton Trans. 2018, 47, 4534–4544; b) L. Álvarez-Rodríguez, J. Brugos, J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, Chem. Eur. J. 2017, 23, 15107–15115; c) J. Brugos, J. A. Cabeza, P. García-Álvarez, E. Pérez-Carreño, Organometallics 2018, 37, 1507–1514.
- [19] A. Arauzo, J. A. Cabeza, I. Fernández, P. García-Álvarez, I. García-Rubio, C. J. Laglera-Gándara, *Chem. Eur. J.* 2021, 27, 4985–4992.
- [20] J. A. Cabeza, P. García-Álvarez, J. Laglera-Gándara, E. Pérez-Carreño, Eur. J. Inorg. Chem. 2021, 2021, 1897–1902.
- [21] J. A. Cabeza, P. García-Álvarez, C. J. Laglera-Gándara, E. Pérez-Carreño, Chem. Commun. 2020, 56, 14095–14097.
- [22] S. Bestgen, M. Mehta, T. C. Johnstone, P. W. Roesky, J. M. Goicoechea, *Chem. Eur. J.* 2020, 26, 9024-9031.
- [23] It has been reported that coordinated MeCN is easily attacked by strong nucleophiles. See, for example: a) N. J. Curtis, A. M. Sargeson, J. Am. Chem. Soc. 1984, 106, 625–630; b) A. J. L. Pompeiro, V. Yu. Kukushkin, Reactivity of Coordinated Nitriles, in Comprehensive Coordination Chemistry II, Eds.: J. A. McCleverty, T. J. Meyer, Pergamon, 2003, Vol. 1, 639–660.
- [24] K. Dunbar, S. C. Haefner, Inorg. Chem. 1992, 17, 3676–3679.
- [25] C. Zhou, M.-H. Huang, K.-W. Huang, *Rhodium Pincer Complexes: Coordination, Reactivity and Catalysis*, in Comprehensive, Coordination Chemistry III, Eds.: E. C. Constable, G. Parkin, L. Que Jr., Elsevier, 2021, 43–107.
- [26] Selected reviews on olefin hydroboration: a) I. Beletskaya, A. Pelter, *Tetrahedron* 1997, 53, 4957–5026; b) K. Burgess, M. J. Ohlmeyer, *Chem. Rev.* 1991, 91, 1179–1191; c) C. M. Vogels, S. A. Westcott, *Curr. Org. Chem.* 2005, 9, 687–699.
- [27] D. Männig, H. Nöth, Angew. Chem. Int. Ed. 1985, 24, 878-879.
- [28] W. Fan, L. Li, G. Zhang, J. Org. Chem. 2019, 84, 5987-5996.
- [29] a) J. Takaya, N. Iwasawa, *Eur. J. Inorg. Chem.* 2018, 2018, 5012–5018;
   b) H. Kameo, K. Ikeda, D. Bourissou, S. Sakaki, S. Takemoto, H. Nakazawa,
   H. Matsuzaka, *Organometallics* 2016, *35*, 713–719; c) H. Kameo, K. Ikeda,

Chem. Eur. J. 2022, 28, e202200847 (5 of 6)

 $\ensuremath{\mathbb O}$  2022 The Authors. Chemistry - A European Journal published by Wiley-VCH GmbH



15213765, 20

Societies Publis

S. Sakaki, S. Takemoto, H. Nakazawa, H. Matsuzaka, *Dalton Trans.* 2016, 45, 7570–7580; d) C. Zhu, J. Takaya, N. Iwasawa, *Org. Lett.* 2015, 17, 1814; e) R. Herrmann, T. Braun, S. Mebs, *Eur. J. Inorg. Chem.* 2014, 4826–4835; f) H. Kameo, S. Ishii, H. Nakazawa, *Dalton Trans.* 2012, 41, 11386–11392; g) J. Takaya, S. Nakamura, N. Iwasawa, *Chem. Lett.* 2012, 41, 967–975.

[30] See, for example: a) J. Takaya, Chem. Sci. 2021, 12, 1964–1981; b) J. A. Cabeza, P. García-Álvarez, Eur. J. Inorg. Chem. 2021, 2021, 3315–3326;
 c) B. L. L. Réant, S. T. Liddle, D. P. Mills, Chem. Sci. 2020, 11, 10871–10886; d) J. A. Cabeza, P. García-Álvarez, D. Polo, Eur. J. Inorg. Chem.

**2016**, 10–22; e) J. Baumgartner, C. Marschner, *Rev. Inorg. Chem.* **2014**, *34*, 119–152; f) B. Blom, M. Stoelzel, M. Driess, *Chem. Eur. J.* **2013**, *19*, 40–62; g) W.-P. Leung, K.-W. Kan, K.-H. Chong, *Coord. Chem. Rev.* **2007**, *251*, 2253–2265.

Manuscript received: March 17, 2022 Accepted manuscript online: May 25, 2022 Version of record online: June 29, 2022