

**Collagenase-2 deficiency or inhibition impairs experimental autoimmune encephalomyelitis in mice.**

Alicia R. Folgueras, Antonio Fueyo, Olivia García-Suárez, Jennifer Cox, Aurora Astudillo, Paolo Tortorella, Cristina Campestre, Ana Gutiérrez-Fernández, Miriam Fanjul-Fernández, Caroline J. Pennington, Dylan R. Edwards, Christopher M. Overall, and Carlos López-Otín

For clarity, upon assembly of Figs. 4, 5A, and 8B, corresponding to a dissection of mouse spinal cords, torn fragments of adjacent tissue that were incompletely removed during manual dissection were eliminated digitally, leaving only the spinal cord tissue under study. The unprocessed versions of these figures are shown without this modification. Additionally, an incorrect image was shown in Fig. 4O. These errors have now been corrected and do not affect the results or conclusions of this work.




Fig. 4




Fig. 5A




Fig. 8B

**Collagenase-2 deficiency or inhibition impairs experimental autoimmune encephalomyelitis in mice.**

Alicia R. Folgueras, Antonio Fueyo, Olivia García-Suárez, Jennifer Cox, Aurora Astudillo, Paolo Tortorella, Cristina Campestre, Ana Gutiérrez-Fernández, Miriam Fanjul-Fernández, Caroline J. Pennington, Dylan R. Edwards, Christopher M. Overall and Carlos López-Otín

*J. Biol. Chem.* 2018, 293:11968-11969.  
doi: 10.1074/jbc.AAC118.004703

---

Access the most updated version of this article at <http://www.jbc.org/content/293/30/11968>

Alerts:

- [When this article is cited](#)
- [When a correction for this article is posted](#)

[Click here](#) to choose from all of JBC's e-mail alerts

This article cites 0 references, 0 of which can be accessed free at <http://www.jbc.org/content/293/30/11968.full.html#ref-list-1>